



## Polydadmac

SINOFLOC polyDADMAC is liquid, cationic coagulants with different solid contents and viscosities and suitable a wide range of PH. Our products could be used in filtration applications or in combination with our other flocculants products for wastewater treatment of turbid river and tap water and also could be used in wastewater treatment (drinking and wastewater), textiles, cosmetics, mining (coal, gold, diamonds etc.), papermaking, and soil treatment and oil industries.

Our products could work effectively in many coagulation water treatment separation processes, and could be used alone or in combination with other [flocculants and coagulants](#) with good coagulation and flocculation performance.

### PolyDADMAC Specifications

Products	Content (%)	Viscosity
Coagulant, PolyDADMAC	20%	Low, Medium, High
Coagulant, PolyDADMAC	40%	Low, Medium, High
Coagulant, PolyDADMAC	90% Solid	Low, High

### SINOFLOC PolyDADMAC Coagulant Benefits

- Immediate soluble in all concentrations
- Suitable for a wide range of water treatment applications

Except for polyDADMAC water treatment, PolyDADMAC could be used as a cationic coagulant in mining and mineral processing, and be used as a formaldehyde free fixing agent in the textile industry, and be used as the anionic trash catcher in the papermaking process and be used as a modifier for cationic fracturing acidizing clay stabilizer in oil industry.

### Handling

Corrosion towards most standard materials of construction is very low. Stainless steel, fiberglass, polyethylene, polypropylene and epoxy coated surfaces are recommended. In some cases aluminium surfaces can be adversely affected. Spilled product is slippery underfoot, very slippery when wet. Shipping and handling of this product can be found in the relevant MSDS of [polyDADMAC suppliers](#). Disposal of product must comply with all national, state and local laws.